Bauhaus Ceiling Light

SUNWHITE[®] Technology

Connecting people with nature like sunlight Adjusting the CCT & Brightness as prefer Smart Control system (Traic / APP)



www.civilight.de

Bauhaus Design

Simple but classic design We are thinking more design element optional for different space with better light effect.



Our thinking of innovative designing is according to the light appearance, the optics, the working environment and the end user's prefer CCT and Brightness for more optional, it's one of your best choice light.

SUNWHITE[®] Technology Connecting people with nature like sunlight with healthy light





SUNWHITE[®] Design Goals:

To accomplish the natural sunshine from day to night.

CCT choosing by users, all colour light is on black body line that restoring the light from the nature Reduce inventory due to different colour temperatures



SUNWHITE & with triac dimmalbe

Choosing the CCT & Brightness as prefer

When the brightness turn to 20%, Can achieving dim to Warm function. When the Brightness turn to less than 20%, it changes to SUNWHITE technology system, and changing the CCT as sunrise and sunset automatic in a day.







Bauhaus Specification

SUNWHITE with triac dimmalbe



Part No.	CTMB5445RN- 90025
Wattge	■ 45W
Voltage	AC200-240V
Current	■ 205mA
Dimmable	Dim to Warm
Dimmer type	Triac
ССТ	■ 2100K~5000K
CRI	95
Lumens	■ 3600lm (2700K)
Colour	Satin Nickel
Dimmension	 910* 425* 105mm (Maximum)
Life Span(hrs)	■ 5 year

WIFI with (APP) -Model No.

Setting the CCT & Brightness as nature sunlight as healthy automatic Adjusting the CCT & Brightness by user as prefer at the same time Smart control by APP, both local and long-distance remote control



Bauhaus Specification

With (APP)+Conroller



Part No.	CTMB5445WN- 90035
Wattge	■ 45W
Voltage	AC200-240V
Current	■ 275mA
Dimmable	Yes
Dimmer type	WIFI
ССТ	■ 2100K~5000K
CRI	■ 3600lm (2700K)
Lumens	■ 95
Colour	Satin Nickel
Dimmension	910* 425* 105mm (Maximum)
Life Span(hrs)	■ 5 year

Product Dimension



Installation

Tools







Step1: Line and punch

Step2: Connecting wire, fix the screws





Application

Bauhaus, enjoy the nature light



Email: market@civilight.de Tel: 0049-6196-9679170 Fax: 0049-6196-9679171

www.civilight.de | © CIVILIGHT